

# 台灣病歷資訊管理學會

## 99年疾病分類師甄審試題

科目：疾病分類規則與醫學字辭學

准考證號碼：\_\_\_\_\_

**注意事項：**單選題，請依序以2B鉛筆將答案畫在答案卡上。

### 壹、疾病分類規則

1. 下列有關惡性腫瘤編碼主次要診斷選取規則之敘述，何者正確？

- ① 患者住院之目的為化學治療，則以原發或續發部位為主要診斷
- ② 因腫瘤所產生之併發症而住院治療此併發症時，以併發症當主要診斷，腫瘤代碼當次要診斷
- ③ 當病人腫瘤有兩個原發部位，且針對兩個原發腫瘤都做了治療，則兩者皆可為主要診斷
- ④ 惡性腫瘤轉移，但原發部位無復發情形，以轉移部位代碼為主要診斷

答案：(A) ①②③④ (B) ①②③ (C) ①②④ (D) ②③④

2. 對於後天免疫不全症候群(AIDS)及其他人類免疫不全病毒感染敘述何者為正確？

- (A) 類目碼042(human immunodeficiency virus disease)使用於任何型態之HIV感染的診斷描述
- (B) 類目碼042使用於HIV檢查呈陽反應，但無症狀之診斷描述
- (C) 正常新生兒因接觸(或暴露於病毒感染之環境)，且病毒培養為HIV陽性時，編碼042
- (D) HIV患者因外傷入院治療，需以HIV為主要診斷，外傷為次要診斷。

3. 有關斜體字形代碼*321.0 cryptococcal meningitis*，下列敘述何者正確？

- (A) 屬病徵碼
- (B) 必須以原始病因碼為主要診斷
- (C) 僅能當次要診斷
- (D) 以上皆正確。

4. 下列有關主要處置的選取何者不正確？

- (A) 以與主要診斷最相關之治療性處置為優先考量
  - (B) 兩個以上之處置與主要診斷相關，正面的治療意義大於診斷性或探查性之意義
  - (C) 主要診斷的處置為非開刀房的治療性處置，而次要診斷的處置是開刀房的治療性處置，需以次要診斷的開刀房的治療性處置為主要處置
  - (D) 主要診斷沒有處置、次要診斷有治療性處置，則以次要診斷之治療性處置為主要處置。
5. 術後使用呼吸器時，其持續使用幾天以上需要編使用呼吸器之處置碼？
- (A) 一天
  - (B) 二天
  - (C) 三天
  - (D) 四天。
6. 慢性腎臟疾病(chronic kidney disease, CKD)依嚴重度分為Stage I-V，依ICD-9-CM2001年版編碼，CKD第幾期以上須編585 慢性腎衰竭(chronic renal failure)之代碼？
- (A) II
  - (B) III
  - (C) IV
  - (D) V。
7. 代碼518.4急性肺水腫(acute pulmonary edema)與下列何種疾病同時存在不再另行編碼？
- (A) 急性心肌梗塞
  - (B) 心絞痛
  - (C) 充血性心臟衰竭
  - (D) 冠狀動脈硬化。
8. 下列那種情況不能以呼吸衰竭為主要診斷？
- (A) 因重症肌無力導致呼吸衰竭入院
  - (B) 充血性心臟衰竭導致呼吸衰竭入院
  - (C) 農藥中毒導致呼吸衰竭入院
  - (D) 肺炎導致呼吸衰竭入院。
9. 診斷代碼493.xx asthma第五位碼“2”表示氣喘有積重狀態(status asthmaticus)，下列敘述何者非形容積重狀態之用詞
- (A) intractable asthma attack
  - (B) refractory asthma
  - (C) acute exacerbation

(D) severe intractable wheezing 。

10. 早產代碼765之編碼依據為

- (A) 病歷紀錄的出生體重
- (B) 妊娠週數
- (C) 醫師診斷
- (D) 以上皆是

11. 診斷fracture of femur L/3 其femur骨骼部位係指

- (A) proximal end
- (B) lower end
- (C) shaft
- (D) upper end

12. 病患燒傷部份1<sup>st</sup> degree burn 7% , 2<sup>nd</sup> degree burn 20% , 3<sup>rd</sup> degree burn 10% , 其燒傷之體表面積代碼948之第四碼所表示之百分比為

- (A) 10%
- (B) 20%
- (C) 30%
- (D) 37%

13. 燒燙傷編碼原則何者為非?

- (A) 同一部位有2度與3度燒燙傷，需分開編碼
- (B) 非癒合性燒燙傷被視為急性燒燙傷
- (C) 代碼 958.3(燒傷後傷口感染)應列為次要診斷
- (D) 後期影響代碼和現存的燒燙傷代碼可編在同一次紀錄上

14. 下列何種狀況可使用 650 代碼?

- (A) liveborn , full-term, breech presentation
- (B) liveborn , premature , cephalic presentation
- (C) stillborn, full-term, vertex presentation
- (D) liveborn , full-term, cephalic presentation ; episiotomy with repair

15. 下列何種敘述不屬於 open wound with complicated. 之狀況

- (A) postoperation wound infection
- (B) delayed healing

- (C) foreign body in wound
- (D) delayed treatment

16. 下列何種狀況不可編寫燒傷代碼(類目碼範圍940~948)

- (A) corrosive burn
- (B) friction burn
- (C) scalds
- (D) acid burn

17. 有關診斷acute myocardial infarction代碼410. xx 疾病分類規則敘述下列何者正確? ①第四位碼表示心臟壁受損的位置②第五位碼表示心肌梗塞發病與照護的時間③發病時間超過八週不編此代碼④診斷描述為chronic AMI時, 第五位碼編“2”

答案: (A)①②③ (B)②③④ (C) ①③④(D) ①②④。

18. 有關高血壓的疾病分類規則下列何者不正確?①高血壓與腎臟衰竭共存時, 假設兩者有因果關係, 需使用合併代碼 ②高血壓與心臟病的關係若以" due to "或" with "表示時, 皆可視為有因果關係需編合併代碼③高血壓性視網膜病變編代碼 362.11 hypertensive retinopathy即可④未控制的高血壓, 視為惡性高血壓編碼。

答案: (A)①②④ (B) ①②③(C) ②③④(D)③④。

19. 有關診斷 hemiplegia and hemiparesis代碼342. xx的使用, 下列那些情況不適用?① cerebrovascular accident with hemiplegia still present at discharge ② cerebrovascular accident with transient hemiplegia that has cleared by discharge ③ hemiplegia due to late effect of cerebrovascular accident ④ hemiplegia is reported without further specification.

答案: (A)①② (B)②③ (C)①③ (D)①④

20. Code 677下列敘述何者正確? ①生產初期併發症演變成後遺症 ②限使用於產褥期後的42天內③代碼 677須置於疾病併發症之後

答案: (A)①③ (B)②③ (C)①② (D)①②③

21. 患者因abdominal pain入院, 出院主診斷為 abdominal pain ; R/O gastric ulcer ; R/O acute pancreatitis, 請依診斷編碼順序選擇正確組合? ① abdominal pain ② gastric ulcer ③ acute pancreatitis?  
① abdominal pain ② gastric ulcer ③ acute pancreatitis

答案: (A) ① (B) ②+③ (C) ①+②+③ (D) ②+③+①

22. 下列何者為開放性骨折之字詞描述？①骨折處與外界有交通  
②compound ③missile ④ impacted ⑤ fissured.

答案：(A) ①②③ (B)①②④⑤ (C)②③④ (D)①③④⑤

23. 對於診斷編碼通則之敘述何者有誤① diabetes with foot gangrene須編二個代碼(250.7x及785.4)才算完整 ② COPD (chronic obstructive pulmonary disease) with asthma須編二個代碼(496及493.90)才算完整 ③ 診斷有impending 或threatened 時一律要編碼 ④ chest pain due to myocardial infarction僅編碼myocardial infarction即可

答案：(A) ①② (B) ②③ (C) ③④ (D) ①④

24. 對於流產編碼的描述，下列何者為非

- (A) 受孕期少於22週以下
- (B) 逼出或排出的全部或部份的胎盤或胎膜體重在1,000公克以下，則認定為流產
- (C) 自發性流產是沒有使用任何器械或化學物質而發生的
- (D) 第五位細分類碼表示為「0」未明示、「1」不完全、「2」完全性流產

25. 腫瘤形態代碼 M8140/2，第五位碼表達腫瘤之性質碼 "2" 係指腫瘤為

- (A) 良性
- (B) 惡性，原發部位
- (C) 惡性，轉移部位
- (D) 原位癌

## 貳、 醫學字辭學

26. This abbreviation refers to a syndrome that involves difficulty in breathing :

- (A) ABG
- (B) ARDS
- (C) BiPAP
- (D) FEF

27. The outer two-layer covering of the heart :

- (A) pericardium
- (B) mitral
- (C) myocardium
- (D) epicardium

28. Term meaning painful urination :

- (A) pyuria
- (B) dysuria
- (C) diuresis
- (D) hyperemia

29. phlebitis

- (A) 與 thrombosis 同義
- (B) 與 inflammation, vein 同義
- (C) 與 phthisis 同義
- (D) 與 varix 同義

30. cystocele means

- (A) bladder protrusion
- (B) bladder atrophy
- (C) bladder sclerosis
- (D) painful urine

31. 下列何者為同義字？① unroof、incision ② excision、dissection  
③ release、ligation ④ mammography、mammaplasty ⑤ repair、  
construction

答案：(A)②③⑤ (B)②⑤ (C)①②⑤ (D)①②③

32. cholelithotomy means

- (A) incision common bile duct for remove stone
- (B) excision gallbladder for remove stone
- (C) excision common bile duct for remove stone
- (D) incision gallbladder for remove stone

33. metroptosis means

- (A) uterine falling
- (B) uterine rupture
- (C) pelvic prolapse
- (D) uterovaginal falling

34. bronchiectasis means

- (A) bronchus dysfunction
- (B) bronchiole expansion
- (C) bronchus dilatation
- (D) bronchiole dysfunction

35. 下列那組字首與字義不符

- (A) pyel- & pelvis
- (B) spondyl- & vertebra
- (C) crain- & skull
- (D) myel- & muscle

36. Term that means tying together of two ends of a tube :

- (A) anastomosis
- (B) amylase
- (C) aphthous stomatitis
- (D) atresia

37. This separates the abdominal cavity from the thoracic cavity :

- (A) mediastinum
- (B) diaphragm
- (C) superior
- (D) inferior

38. Episiotomy

- (A) a cutting into the vulva
- (B) a cutting into the uterine tube
- (C) a cutting into the uterus
- (D) another name for a cesarean section

39. pregnancy that is out of its normal place

- (A) hydatidiform mole
- (B) aburptio placentae
- (C) ectopic pregnancy
- (D) placenta previa

40. very rapid breathing

- (A) apnea
- (B) dyspnea
- (C) orthopnea
- (D) tachypnea

41. loss of contraction caused by nerve damage

- (A) atrophy
- (B) hypertrophy
- (C) paralysis
- (D) contracture

42. Which one is true ① Rupture of liver is called hepatorrhaxis ② Suturing of liver is called hepatorrhaphy ③ Flowing from liver is called hepatorrhea ④ Hernia of the rectum is called rectocele

答案： (A) ②③④ (B) ②③ (C) ① ③④ (D) ①②③④

43. displacement of the heart to the right is called

- (A) sinistocardia
- (B) dextrogastrica
- (C) dextropedal
- (D) dextrocardia

44. excision (removal) of all or part of the stomach is called

- (A) gastrectomy
- (B) gastrotomy
- (C) nephrectomy
- (D) Nephrotomy

45. hypo is a prefix that is just the opposite of

- (A) hepat
- (B) hyper
- (C) hyster
- (D) hidr

46. softening of brain tissue is called

- (A) encephalitis
- (B) encephalocele
- (C) encephalodinic
- (D) encephalomalacia

47. leucocytosis的意義為

- (A) 白血球低下症
- (B) 白血球增生症
- (C) 紅血球低下症
- (D) 紅血球增生症

48. 醫學術語中的字首部份, 下列何者為非?

- (A) Head- Cephalo
- (B) Heart- Cardiac
- (C) Nose- Reno
- (D) Vein-Phleb

49. metritis is means an inflammation of the

- (A) blood
- (B) face
- (C) muscule
- (D) uterine

50. The detruction of muscle tissue is called

- (A) myelolysis
- (B) myolysis
- (C) neurofibrosis
- (D) neurolysis